

Date received: 27-09-07

Date of issue: 09-10-07

Report consists of 3 attached sheets.

KRISTALIA S.R.L.
VIA CALDERANO 5
33070 BRUGNERA (PN)
ITALY

Sample name: Tavolino CU da 45

TEST REPORT N° 86013

List performed tests

1. Vertical static load test EN 1730:2000, clause 6.3
2. Vertical impact test EN 1730:2000, clause 6.6
3. Stability EN 1730:2000, clause 6.7



Head of Department

A handwritten signature in black ink, appearing to be 'S. Al'.

Managing Director
Dott. Andrea Giavon

A handwritten signature in black ink, appearing to be 'Andrea Giavon'.

Sample name is declared by the orderer. This report relates to the samples submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

TEST REPORT

86013 / 1

Date received: 27-09-07

Date of test: 09-10-07

Date of issue: 09-10-07

Sample name: Tavolino CU da 45



KRISTALIA S.R.L.
VIA CALDERANO 5
33070 BRUGNERA (PN)
ITALY

Vertical static load test EN 1730:2000, clause 6.3

Type of table: (ENV 12521/00 clause 3.2) : low table (height < 600 mm)

Test results:

Type of surface:	Load application position:	Vertical force N	Number of Cycles	Remarks
Main surface	geometrical centre of table	1400	10	No defects


Note:

The test has been carried out according to table 1 of UNI 10976/2002, level 3.

Head of Department



Managing Director
Dott. Andrea Giayón



TEST REPORT

86013 / 2

Date received: 27-09-07
Date of test: 09-10-07
Date of issue: 09-10-07
Sample name: Tavolino CU da 45



KRISTALIA S.R.L.
VIA CALDERANO 5
33070 BRUGNERA (PN)
ITALY

Vertical impact test EN 1730:2000, clause 6.6

Type of table: (ENV 12521/00 clause 3.2): low table (height < 600 mm)

Type of surface: main surface

Impact mass: 25 kg

Point of impact: as close as possible to one point of support of the top but not less than 100 mm from any edge.

Drop height mm	Number of cycles	Remarks
100	10	No defects

Point of impact: 100 mm from the edge of the top as far away from the supports as possible.

Drop height mm	Number of cycles	Remarks
100	10	No defects

Point of impact: 100 mm from the edges at one corner.

Drop height mm	Number of cycles	Remarks
100	10	No defects


Note:

the test has been carried out according to table 1 of UNI 10976/2002, level 3.

Head of Department



Managing Director
Dott. Andrea Giavon



TEST REPORT

86013 / 3

Date received: 27-09-07
Date of test: 09-10-07
Date of issue: 09-10-07
Sample name: Tavolino CU da 45



KRISTALIA S.R.L.
VIA CALDERANO 5
33070 BRUGNERA (PN)
ITALY

Stability EN 1730:2000, clause 6.7

Type of table: (ENV 12521/00 clause 3.2) : low table (height < 600 mm)

Type of surface: main surface

Largest dimension: 450 mm

Test results:

Vertical force N	Remarks
200	no tip

Note:

- the test has been carried out according to table 1 of UNI 10976/2002 that specify from first level to fifth level the same stability requirements.

Head of Department



Managing Director
Dott. Andrea Givoni

