

METRO²

design Piero Lissoni

Fix or modular sofa with lacquered steel frame.

Support in beech plywood slats. Armrests and backrests structure in double-panelled poplar and pine joined at the base with passing through guides linked one to the other by plastic elements that enables the backrest and armrests to be unhooked from the frame to allow removal of the covers, for fabric upholstery only.

Padding in differentiated density polyurethane foam.

Covering in needle punched, resinated, nonwoven polyester fibre, bonded onto a polyamide velveteen backing. Steel base with satin nickel-finish. Fabric or leather upholstery.

The fabric version only is fully removable by zippers and Velcro fastenings. The various elements are joined together by means

Seat depth: 64cm-138cm.


Base





Steel with Satin Nickel Finish

Notes

Hook for assembly of modular elements.







 $\label{thm:modular elements} Modular elements are joined with provided hooks for assembly, as per instructions included with the product.$

 ${\bf Elements\ with\ leather\ upholstery,\ have\ fix\ armrests/backrests;\ the\ covers\ are\ not\ removable.}$


The central stitching on elements cm. 140 x 140, can be avoided only if upholstered with fabrics

Elements with central backrest cannot be combined with elements with lateral backrest.


All elements cm. 160×160 have one central stitching.

For compositions with different elements, please attach a general sketch to the order.


Technical Drawings Sofa




Terminal Element




Corner Element




Central Element






Element




Long Seat




Footrest



Loose Cushion



Examples of Composition Composition 01



ME2T160 SX ME2T160 DX

Composition 04

Composition 02



The commercial codes refer to the elements chosen in the above-proposed compositions.

