

### AERO V

design Shibuleru

Valet stand "fixed on the wall", available with lower shelves in two different depth (32cm or 48cm) and available with shelves in two different finishings:

Liquid painting version coloured RAL–K7 9010 white or RAL–K7 9017 black, or "cement effect" available in the Chiaro and Scuro variant. Contoured double-paneled shelves (depth 32cm) thickness 18mm, constituted of a 7cm frame in solid beech wood and board honeycomb, enclosed by two aluminium plates. Whilst lower shelves depth 48cm, in "sandwich" of MDF and aluminum sheet. All shelves versions, fitted with holes and bushings to allow the fixing of the posts.

"Laminate" version with upper and lower (in both depths) shelves in "sandwich" of MDF and aluminum sheet, enclosed in two sheets of laminate with embossed finish and perimetral edges in black thermoplastic material. Shelves fitted with holes and bushings to allow the fixing of the posts.

For both versions, steel uprights Ø22mm, with inserted fixing element and integrated height-adjustable PVC feet, finish with epoxy powder coating in RAL–K7 9010 white, RAL–K7 9017 black or gunmetal grey color. The structure is fitted with 2 supplementary steel supports with integrated height adjustable PVC feet, secured to the bottom shelf. Wall fixing element, composed of a couple of "male-female" thread pivots (that allow a depth adjustment of the valet stand), anchored to the external posts through screws. Hanger supports in steel rod Ø16mm, fixed to the uprights and painted in the their same finishing. Hangers consisting of a Ø12mm calendered steel rod and Ø35mm steel ring lacquered with epoxy powder coating black or gunmetal grey colour, connected together by a "band" of sewn black leather.

### Uprights



Steel with Gunmetal Grey Coating



Painted Steel RAL-K7 9010 White



Painted Steel RAL-K7 9017 Black

## Shelves



Aluminium RAL–K7 9010 White



Painted Aluminium RAL–K7 9017



Cement Effect Painting col. Chiaro



Cement Effect Painting col. Scuro




Hanger

Steel with Gunmetal Grey Coating




Painted Steel RAL-K7 9017 Black

### Technical Drawings



32		34	36
	150		




# Hanger



"Cement effect" finish: finish obtained by cement-based materials applied manually, after sanding the surface, through different phases: 2 layers of primer coating applied with a brush and roller; 2 layers of the cement applied with a specific spatula -each stage is spaced by a 24h drying cycle, and further sanding before proceeding to the next phase – and final phase of 2 protective finishes, applied with a brush, as stain-resistant treatment, which prevents the immediate absorption of stains. The cement

finish is furthermore protected with an acrylic paint finish, which provides the surface a good scratch resistance. A subsequent application of nano-molecular varnish, protects the finish from chemical agents, especially of food nature. The handicraft and preciousness of this application, creates finishes and surfaces which may differ from each other for finishing and shades of colours. This feature shows the exclusivity and craftsmanship of each creation.







Valet stand Aero V with shelves enclosed in two sheets of laminate with embossed finish and perimetral edges in black thermoplastic material