

## TECHNICAL SHEET

Thin stems in precious metallic finishes create evocative harmonies of light.

Available in three sizes, Storm is a lamp that can live alone but is designed to be used in groups, in public spaces as well as at home.


### Certification



	1704-23 LARGE	1704-21 MEDIUM	1704-20 MINI
<b>Mounting</b>	Suspension	Suspension	Suspension
<b>Environment</b>	Indoor - Dry Location	Indoor - Dry Location	Indoor - Dry Location
<b>Materials</b>	Metal	Metal	Metal
<b>Input current</b>	350mA	350mA	350mA
<b>Source</b>	LED 4W - CRI=90	LED 4W - CRI=90	LED 4W - CRI=90
<b>Color Temperature</b>	3000K / 2700K	3000K / 2700K	3000K / 2700K
<b>Lumen</b>	383lm	383lm	383lm
<b>Cable RAL</b>	7013	7013	7013

	1704-90 CANOPY TYPE B	1704-91 CANOPY TYPE B RECESSED	PLATES TYPE B
<b>Mounting</b>	Ceiling	Recessed	Ceiling
<b>Environment</b>	Indoor - Dry location	Indoor - Dry location	Indoor - Dry location
<b>Materials</b>	Metal	Metal	Metal
<b>Voltage</b>	120V 50/60Hz	24Vdc	120/277V 60Hz
<b>Lighting control</b>	On-off / Dimmable 0-10V	Remote driver not included	Dimmable 0-10V
<b>Finishes</b>	Matt white Matt gold Matt black	Matt white	Matt white

## Technical Drawing



## Finishes

### Structure



Matt black



Matt gold



Glossy chrome

### Canopies



Matt black varnished metal



Matt gold varnished metal



Matt white varnished metal

### NOTE:

All luminaires can only be sold with the single rosettes or with the multiple plates.  
The reverse is also true: rosettes and multiple plates cannot be sold separately from pendants.  
All fixture are tested and guaranteed in their entirety: pendant + rosette or pendant(s) + multiplate.  
Any unauthorized installation will not be deemed compliant.

# Storm Bartoli Design

## Codes Interpretation

1704 - 20 - 0100 - N2NU

1704  
Year Collection

20  
Typology Model

1100  
Finish1 Finish2

N2NU  
Lighting control Cable Source Wiring

CODES	SIZE	STRUCTURE	SHADE	DETAILS
1704-20-1100-N2NU	mini suspension	matt black		wire 78.7" / 3000K
1704-20-1100-N4NU	mini suspension	matt black		wire 157.5" / 3000K
1704-20-1100-N2WU	mini suspension	matt black		wire 78.7" / 2700K
1704-20-1100-N4WU	mini suspension	matt black		wire 157.5" / 2700K
1704-20-0600-N2NU	mini suspension	matt gold		wire 78.7" / 3000K
1704-20-0600-N4NU	mini suspension	matt gold		wire 157.5" / 3000K
1704-20-0600-N2WU	mini suspension	matt gold		wire 78.7" / 2700K
1704-20-0600-N4WU	mini suspension	matt gold		wire 157.5" / 2700K
1704-20-2400-N2NU	mini suspension	glossy chrome		wire 78.7" / 3000K
1704-20-2400-N4NU	mini suspension	glossy chrome		wire 157.5" / 3000K
1704-20-2400-N2WU	mini suspension	glossy chrome		wire 78.7" / 2700K
1704-20-2400-N4WU	mini suspension	glossy chrome		wire 157.5" / 2700K
1704-21-1100-N2NU	medium suspension	matt black		wire 78.7" / 3000K
1704-21-1100-N4NU	medium suspension	matt black		wire 157.5" / 3000K
1704-21-1100-N2WU	medium suspension	matt black		wire 78.7" / 2700K
1704-21-1100-N4WU	medium suspension	matt black		wire 157.5" / 2700K
1704-21-0600-N2NU	medium suspension	matt gold		wire 78.7" / 3000K
1704-21-0600-N4NU	medium suspension	matt gold		wire 157.5" / 3000K
1704-21-0600-N2WU	medium suspension	matt gold		wire 78.7" / 2700K
1704-21-0600-N4WU	medium suspension	matt gold		wire 157.5" / 2700K
1704-21-2400-N2NU	medium suspension	glossy chrome		wire 78.7" / 3000K
1704-21-2400-N4NU	medium suspension	glossy chrome		wire 157.5" / 3000K
1704-21-2400-N2WU	medium suspension	glossy chrome		wire 78.7" / 2700K
1704-21-2400-N4WU	medium suspension	glossy chrome		wire 157.5" / 2700K
1704-23-0100-N2NU	large suspension	matt black		wire 78.7" / 3000K
1704-23-1100-N2NU	large suspension	matt black		wire 157.5" / 3000K
1704-23-1100-N4NU	large suspension	matt black		wire 78.7" / 2700K
1704-23-1100-N2WU	large suspension	matt black		wire 157.5" / 2700K
1704-23-1100-N4WU	large suspension	matt gold		wire 78.7" / 3000K
1704-23-0600-N2NU	large suspension	matt gold		wire 157.5" / 3000K
1704-23-0600-N4NU	large suspension	matt gold		wire 78.7" / 2700K
1704-23-0600-N2WU	large suspension	matt gold		wire 157.5" / 2700K
1704-23-0600-N4WU	large suspension	glossy chrome		wire 78.7" / 3000K
1704-23-2400-N2NU	large suspension	glossy chrome		wire 157.5" / 3000K

1704-23-2400-N4NU	large suspension	glossy chrome	wire 78.7" / 2700K
1704-23-2400-N2WU	large suspension	glossy chrome	wire 157.5" / 2700K
1704-23-2400-N4WU	canopy type B	matt gold	on-off
1704-90-0600-DXLU	canopy type B	matt gold	dimnable 0-10V
1704-90-0100-NXLU	canopy type B	matt white	on-off
1704-90-0100-DXLU	canopy type B	matt white	dimnable 0-10V
1704-90-1100-NXLU	canopy type B	matt black	on-off
1704-90-1100-DXLU	canopy type B	matt black	dimnable 0-10V
1704-91-0100-NXLU	canopy type B recessed	matt white	remote driver not included

## Legenda

<b>Lighting Control</b>	D = Dimmable	N = Not dimmable	
<b>Cable</b>	X = not suspension lamp	2 = 2m	4 = 4m
<b>Source</b>	B = Bulb	W = Integrated LED 2700K	N = Integrated LED 3000K
<b>Wiring</b>	E = Universal	U = USA with certification	V = USA without certification