

LASVIT Technical Sheet

SPACEY COLLECTION

DESIGNER: Lukáš Novák

YEAR OF DESIGN: 2020

Glass: Hand Blown Bohemian Crystal Glass

It's said that a sphere is the most perfect shape in the universe. And sometimes, one can discover the whole universe within this one shape. The variability and immeasurable beauty of the Universe is captured in Spacey thanks to a special technique called lithyalin. It looks like gemstone, yet it is actually glass. This technique was invented in Northern Bohemia more than 200 years ago and has now been resurrected in the same region by a Czech designer.



PACKAGING

Eclipse, Supermoon

Size: 440 × 840 × 430 mm

Total weight: 12kg, 11kg

Size: $17\frac{21}{64} \times 33\frac{5}{64} \times 16\frac{59}{64}$ in

Total weight: 26,5 lb, 24,3 lb

Table lamp

Size: 360 × 370 × 420 mm

Total weight: 6 kg

Size: $14\frac{11}{64} \times 14\frac{9}{16} \times 16\frac{17}{32}$ in

Total weight: 13 lb

Moon, Midnight Sun

Size: 500 × 490 × 650 mm

Total weight: 10 kg

Size: $19\frac{11}{16} \times 19\frac{19}{64} \times 25\frac{19}{32}$ in

Total weight: 22 lb

LASVIT Technical Sheet

SPACEY COLLECTION

TECHNICAL DETAILS

| Type | CE | UL |
|---------------|---|--|
| Light source | 1× E27, 25 W | 1× E26, 25 W |
| Color temper. | 3000K | 3000K |
| | dimnable | dimnable |
| Input voltage | 220-240V, 50/60Hz | 120V, 60Hz |
| Rated power | 25W | 25W |
| Prot. rating | IP20 | |
| Safety class | CLASS I | |
| Cord color | black textile cord with safety wire | |
| Cord length | min.500mm/19 3/4"-2000mm/ 78 3/4", longer cord is available, contact your sale person | min.500mm/19 3/4"-4000mm/ 157 31/64", longer cord is available, contact your sale person |
| Metal parts | laquered-blackmatt | |



LASVIT Technical Sheet

SPACEY COLLECTION

TECHNICAL DRAWING

Eclipse

Supermoon



| Name | Dia (mm/in) | H (mm/in) | Z (mm/in) | V (mm/in) |
|------------------|--------------|--------------|-------------|-------------|
| Eclipse | 300 / 11 3/4 | 700 / 27 1/2 | 115 / 4 1/2 | 102 / 4 7/8 |
| Supermoon | 350 / 13 3/4 | 722 / 28 3/8 | 115 / 4 1/2 | 102 / 4 7/8 |

LASVIT Technical Sheet

SPACEY LUNAR TABLE LAMP

TECHNICAL DETAILS


| Type | CE | UL |
|---------------|---|--------------|
| Light source | 1× E14, 20W | 1× E12, 20W |
| Color temper. | 3000K | 3000K |
| | dimmable | non dimmable |
| Input voltage | 220-240V, 50/60Hz | 120V, 60Hz |
| Rated power | 20W | |
| Prot. rating | IP20 | |
| Safety class | CLASS II | |
| Cord color | black textile cord | |
| Cord length | 1800mm/70 ⁵⁵ / ₆₄ " , longer cord is available, contact your sale person | |

LASVIT Technical Sheet

SPACEY LUNAR TABLE LAMP

TECHNICAL DRAWING

Table lamp



| Name | Dia (mm/in) | H (mm/in) |
|------------|-------------|----------------|
| Table lamp | 200 / 7 7/8 | 295 / 11 39/64 |

LASVIT Technical Sheet

SPACEY MOON

TECHNICAL DETAILS


| Type | CE | UL |
|---------------|-------------------|-------------|
| Light source | 1× E27, 25W | 1× E26, 25W |
| Color temper. | 3000K | 3000K |
| | dimnable | dimnable |
| Input voltage | 220-240V, 50/60Hz | 120V, 60Hz |
| Rated power | 25W | |
| Prot. rating | IP20 | |
| Safety class | CLASS I | |
| Cord color | - | |
| Cord length | - | |

LASVIT Technical Sheet

SPACEY MOON

TECHNICAL DRAWING

Moon



| Name | Dia (mm/in) | H (mm/in) |
|------|--------------------------|--------------------------|
| Moon | $350 / 13 \frac{25}{32}$ | $480 / 18 \frac{57}{64}$ |

LASVIT Technical Sheet

SPACEY MIDNIGHT SUN

TECHNICAL DETAILS


| Type | CE | UL |
|---------------|---|-------------|
| Light source | 1× E27, 20W | 1× E26, 20W |
| Color temper. | 3000K | 3000K |
| | dimnable | dimnable |
| Input voltage | 220-240V, 50/60Hz | 120V, 60Hz |
| Rated power | 20W | |
| Prot. rating | IP20 | |
| Safety class | CLASS II | |
| Cord color | black textile cord | |
| Cord length | 1800mm/70 ⁵⁵ / ₆₄ " , longer cord is available, contact your sale person | |

LASVIT Technical Sheet

SPACEY MIDNIGHT SUN

TECHNICAL DRAWING

Midnight Sun



| Name | Dia (mm/in) | H (mm/in) |
|------|-------------------------|-------------------------|
| Moon | 350 / $13\frac{25}{32}$ | 498 / $19\frac{39}{64}$ |

LASVIT Technical Sheet

SPACEY COLLECTION

TECHNICAL Sheet

| Name | Glass color | Item ID - CE | Item ID - UL | Weight (approx.) |
|---------------------|--------------------|----------------------|----------------------|-------------------------|
| Eclipse | lithyalin/opal | CL094PB-1CEoo-4411S1 | CL094PB-1ULoo-4411S1 | 5,5kg/12,1lb |
| Supermoon | lithyalin/opal | CL094PA-1CEoo-4411S1 | CL094PA-1ULoo-4411S1 | 7,5kg/16,5lb |
| Lunar | lithyalin/opal | CL094TA-1CEoo-4439S1 | CL094TA-1ULoo-4439S1 | 3,5 kg/ 7,7 lb |
| Moon | lithyalin/opal | CL094CA-1CEoo-4400S1 | CL094CA-1ULoo-4400S1 | 7,5kg/16,5lb |
| Midnight Sun | lithyalin/opal | CL094FA-1CEoo-4400S1 | CL094FA-1ULoo-4400S1 | 7,9 kg/ 17,4 lb |

EACH LASVIT COLLECTION IS UNIQUE BECAUSE IT IS COMPLETELY HANDCRAFTED. TINY BUBBLE AND OTHER IRREGURITIES MAY OCCUR DUE TO THE NATURE OF THE HIGH QUALITY GLASS-BLOWING TECHNIQUE